EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("2005074009").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 14:58
S2	0	("2005074009").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 14:59
S3	0	("Kanetake.in.").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 14:59
S4	0	("2004246981").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:01
S 5	1	("6914905").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:02
S6	1	("20030193949"). PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:07
S7	1	("20040003110").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:10
S8	1	("6381242").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:11
S9	1	("6917617").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:11
S10	1	("6957258").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/03/27 15:13
S11	965988	distributor with packet address\$3	US-PGPUB; USPAT; USOCR; EPO; IBM TDB	OR	ON	2008/03/27 15:21

S12	59	distributor with (packet near3 address\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/03/27 15:22
S13	3	S12 AND ingress	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/03/27 15:25
S14	7235	709/224.cds.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/03/31 11:50
S15	562	(processor or cpu) same (lookup or search) same ((identifier or number) with cycle\$1)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/03/31 11:53
S16	3	S15 AND S14	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/03/31 11:54
S17	62511	"709".clas.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/03/31 12:26
S18	19	S15 AND S17	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/03/31 12:27
S19	36285	count with cycle\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/03/31 12:39
S20	132	S15 AND S19	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/03/31 12:39
S21	2738	(lookup or search) SAME (number with cycle\$1)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:45
S22	13778	(datagram or packet) SAME ((address filter\$3 or filter\$3 or address) WITH header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:46
S23	7474	(datagram or packet) SAME ((address filter\$3 or filter\$3 or address) near3 header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:47

S24	2334301	(buffer or memory or register or database)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:47
S25	75	S21 AND S23 AND S24	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:48
S26	0	(lookup or search) SAME (number with cycle\$1) SAME (datagram or packet) SAME ((address filter\$3 or filter\$3 or address) near3 header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:51
S27	8	(lookup or search) SAME cycle\$1 SAME (datagram or packet) SAME ((address filter\$3 or filter \$3 or address) near3 header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:51
S28	2	(lookup or search) SAME cycle\$1 SAME (datagram or packet) SAME ((address filter\$3 or filter \$3 or address) near3 header) SAME S24	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 09:59
S29	10310	(count or compute or number or calculate) WITH (processor or cpu) WITH cycle\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 14:07
S30	7253	709/224.cds.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/01 14:08
S31	26	\$29 AND \$30	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 14:08
S32	16936	(count or compute or number or calculate) SAME (processor or cpu) WITH cycle\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 14:22
S33	56	S30 AND S32	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 14:22
S34	584485	(cam or "content addressable memory") OR (VPST or "virtual port state table")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 15:01

S35	1	S29 AND S30 AND S32 AND S34	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 15:02
S36	789	S29 AND S32 AND S34	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 15:07
S37	905	buffer with processor with "integrated circuit"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 15:15
S38	87	buffer with processor with "integrated circuit" and circular	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 15:17
S39	28	buffer with processor with "integrated circuit" and circular and host	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 15:22
S40	0	(trigger or event or condition) SAME exception SAME masks SAME cam SAME sct SAME port SAME header	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 16:01
S41	9	(trigger or event or condition) AND exception AND masks AND cam AND sct AND port AND header	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/01 16:02
S42	100	debug with buffer same (trigger or condition or event)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/02 08:20
S43	62599	"709".clas.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/02 08:21
S44	4	S42 AND S43	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/02 08:21
S45	24	S42 AND cycle\$1 AND slot \$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/02 08:27
S46	1	("20040148387").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/04/02 11:08

S47	47	(count or compute or number or calculate) WITH (processor or cpu) WITH (cycle\$1 or lookup) SAME debug	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 11:13
S48	23	(count or compute or number or calculate) with (cycle\$1 or lookup) SAME debug SAME packet\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 11:17
S49	380	(count or compute or number or calculate) with (cycle\$1 or lookup) SAME (debug or revis\$4 or alter or change or modify) SAME packet\$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 11:23
S50	62599	"709".clas.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/02 11:23
S51	37	S49 and S50	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 11:23
S52	137	(count or compute or number or calculate) with (cycle\$1 or lookup)SAME (buffer or memory or register) SAME (debug or revis\$4 or alter or change or modify) SAME packet \$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 11:26
S53	77	("network interface card" or nic) WITH (revis\$4 OR change\$1 OR debug\$1 OR modify or modification) WITH (buffer or memory or register)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 12:03
S54	37	("network interface card" or nic) WITH (revis\$4 OR change\$1 OR debug\$1 OR modify or modification) WITH (packet\$1 or data) WITH (buffer or memory or register)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2008/04/02 12:06
S55	1	("4654654").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM TDB	OR	OFF	2008/04/07 08:08

S56	1	("6347347").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/07 08:09
S57	1	("6011908"). <i>P</i> N.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/07 08:12
S58	1	("6148381").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/07 08:13
S59	1	("6665755").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/21 07:56
S60	1	("6347347").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/04/21 10:00
S61	28	packet header(combine or connect or join)(buffer or memory or register) (data or information)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	OFF	2008/04/21 10:48
S62	65	packet header(combine or connect or join)(buffer or memory or register) (data or information)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2008/04/21 10:49
S63	47	S62 AND port	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	WITH	ON	2008/04/21 10:49

^{4/21/2008 12:53:43} PM

C:\ Documents and Settings\ thighter\ My Documents\ EAST\ Workspaces\ 10814728.wsp